

BGVc

AC/DC On-Off Switch With Lock Off





Overhang trigger switch commonly used in high rated bench top and handheld electrical tools. Interchangeable with DGV, BGV and common models on the market for most applications. Electrical connection is located at the bottom of the switch housing.


-Features

- DC approvals
- Compatible with industry standard
- IP64/ IP65

Model	Configuration	Approvals	
		US	
BGVc	DPST/SPDT	22(22)A 125Vac, 5E4 IP64/IP65 15(15)A 250Vac, 5E4 IP64/IP65 20A 60/42/36/24Vdc, 5E4 IP64/IP65 15A 60/42/36/24Vdc, 5E4 IP64/IP65 1A 60/42/36/24Vdc, 5E4 IP64/IP65 20mA 127/125/60/42/36/24Vdc, 5E4 IP64/IP65 12.5(12.5)A 250Vac, 5E4 IP64/IP65 10(10)A 250Vac, 5E4 IP64/IP65	22(22)A 125Vac, 5E4 IP64/IP65 15(15)A 250Vac, 5E4 IP64/IP65 20A 60/42/36/24Vdc, 5E4 IP64/IP65 15A 60/42/36/24Vdc, 5E4 IP64/IP65 1A 60/42/36/24Vdc, 5E4 IP64/IP65 20mA 127/125/60/42/36/24Vdc, 5E4 IP64/IP65 12.5(12.5)A 250Vac, 5E4 IP64/IP65 10(10)A 250Vac, 5E4 IP64/IP65




TRIGGER OPTION(S)



CIRCUIT SCHEMATICS



CIRCUIT SCHEMATICS



LOCK BUTTON OPTION(S)

